Title: IMAGE PROCESSING DEVICE AND METHOD FOR CONTROLLING THE SAME Inventor(s): Gaku TAKANO DOCKET NO. 016907/1368




FIG.1

Title: IMAGE PROCESSING DEVICE AND METHOD FOR CONTROLLING THE SAME Inventor(s): Gaku TAKANO

DOCKET NO. 016907/1368

画像データ窓 13×13 注目画素 p6,6

主走查方向 ————

副走查方向

P0,0	P0,1	P0,2	P0,3	P0,4	P0,5	P0,6	P0,7	P0,8	P0,9	P0, 10	P0, 11	P0, 12
P1,0	P1,1			\triangle				\triangle				
P2,0		P2,2										
P3,0			P3,3			×						
P4,0	0			P4,4							0	
P5,0					P5,5							
P6,0						P6,6						
P7,0							P7,7					
P8,0	0	;						P8,8			0	
P9,0						×			P9,9			
P10, 0										P10, 10		
P11, 0				Δ				Δ			P11, 11	
P12, 0												P12, 12

F1G.2


フィルタ係数1

主走查方向 ————

h0,0	h0,1	h0,2	h0,3	h0,4	h0,5	h0,6			
h1,0	h1,1			Δ					
h2,0		h2,2							
h3,0			h3,3			×			
h4,0	0			h4,4					
h5,0					h5,5				
h6,0						h6,6			

F I G. 3

Title: IMAGE PROCESSING DEVICE AND METHOD FOR CONTROLLING THE SAME Inventor(s): Gaku TAKANO DOCKET NO. 016907/1368



フィルタ係数各組 49要素 各要素 (土7.5)

FIG.4

Title: IMAGE PROCESSING DEVICE AND METHOD FOR CONTROLLING THE SAME Inventor(s): Gaku TAKANO DOCKET NO. 016907/1368

